

## Discourse Structure


LING 571 — Deep Processing Methods in NLP
November 29, 2021
Shane Steinert-Threlkeld

### Announcements

- HW7 late deadline = tonight
  - Grades will therefore also be a bit later







Amazing



The kids were playing Rock Paper Scissors.

: Scissors

: Everything!

: What?


: Nothing beats everything.

: Ok play again, Rock Paper Scissors shoot!

: Everything!

: Nothing!

# Breaking Language Technology



https://twitter.com/xkcd/status/1333529967079120896

## Roadmap

- Coreference
  - Recap
  - Hobbs Walkthrough
  - Other approaches
  - Evaluation
- Discourse Structure
  - Cohesion [Segmentation]
  - Coherence

## Discourse & Coref Recap

#### What is Discourse?

• Discourse is "a coherent structured group of sentences." (J&M p. 681)

#### What is Discourse?

- Discourse is "a coherent structured group of sentences." (J&M p. 681)
- Understanding depends on context
  - Word sense plant
  - Intention Do you have the time?
  - Referring expressions it, that, the screen

• referring expression: (refexp)

- referring expression: (refexp)
  - An expression that picks out entity (*referent*) in some knowledge model

- referring expression: (refexp)
  - An expression that picks out entity (*referent*) in some knowledge model
  - Referring expressions used for the same entity *corefer*

- referring expression: (refexp)
  - An expression that picks out entity (*referent*) in some knowledge model
  - Referring expressions used for the same entity corefer
    - Queen Elizabeth, her, the Queen

- referring expression: (refexp)
  - An expression that picks out entity (*referent*) in some knowledge model
  - Referring expressions used for the same entity *corefer* 
    - Queen Elizabeth, her, the Queen
    - Logue, a renowned speech therapist

- referring expression: (refexp)
  - An expression that picks out entity (*referent*) in some knowledge model
  - Referring expressions used for the same entity corefer
    - Queen Elizabeth, her, the Queen
    - Logue, a renowned speech therapist
  - Entities in purple do not corefer to anything.

#### • Antecedent:

- An expression that introduces an item to the discourse for other items to refer back to
- Queen Elizabeth... her


- Anaphora: An expression that refers back to a previously introduced entity.
  - cataphora: Introduction of expression before referent:
    - "Even before she saw it, Dorothy had been thinking about..."


- Anaphora: An expression that refers back to a previously introduced entity.
  - cataphora: Introduction of expression before referent:
    - "Even before she saw it, Dorothy had been thinking about..."


\*Not all anaphora is referential! e.g. "No dancer hurt their knee."


# Referring Expressions

- Many forms:
  - Queen Elizabeth
  - she/her
  - the Queen
  - HRM
  - the British Monarch









#### Reference Tasks

- Coreference resolution:
  - Find all expressions referring to the same entity in a text.
  - A set of coreferring expressions is a coreference chain.

#### Reference Tasks

#### Coreference resolution:

- Find all expressions referring to the same entity in a text.
- A set of coreferring expressions is a coreference chain.

#### Pronomial anaphora resolution:

- Find antecedent for a single pronoun.
- Subtask of coreference resolution

# Other Coreference Approaches

### Data-driven Reference Resolution

- Prior approaches:
  - Knowledge-based, hand-crafted (e.g. Hobbs' Algorithm)
- Surely, there must be ML methods to approach the problem?

- Treat coreference chain as pairwise decisions (classification task)
- For each  $NP_i$ ,  $NP_i$ , do they corefer? YES/NO
- Join together by transitivity














- Treat coreference chain as pairwise decisions (classification task)
- For each  $NP_i$ ,  $NP_j$ , do they corefer? YES/NO
- Join together by transitivity



- Treat coreference chain as pairwise decisions (classification task)
- For each  $NP_i$ ,  $NP_j$ , do they corefer? YES/NO
- Join together by transitivity




- Treat coreference chain as pairwise decisions (classification task)
- For each  $NP_i$ ,  $NP_j$ , do they corefer? YES/NO
- Join together by transitivity



## Other kinds of Coreference Models

#### Mention Ranking Models


- For each NP<sub>k</sub> and all candidate antecedents, which one is the best suggestion?
- Can be thought of as clustering method
  - Each entity a different cluster
- Ranking problems, also well-studied category



#### Other kinds of Coreference Models

#### Mention Ranking Models


- For each NP<sub>k</sub> and all candidate antecedents, which one is the best suggestion?
- Can be thought of as clustering method
  - Each entity a different cluster
- Ranking problems, also well-studied category



#### Other kinds of Coreference Models

#### • Entity-Mention Model:

- Posit underlying entities in discourse model
- Each "mention" is linked to a discourse entity
- More theoretically satisfying, but less successful work done on this approach



Annotated corpora provide ground truth with which to train supervised ML

- Annotated corpora provide ground truth with which to train supervised ML
- We can take Noun Phrases (NPs) from our corpus and represent them as...

- Annotated corpora provide ground truth with which to train supervised ML
- We can take Noun Phrases (NPs) from our corpus and represent them as...
  - …feature vectors! Hooray!

- Annotated corpora provide ground truth with which to train supervised ML
- We can take Noun Phrases (NPs) from our corpus and represent them as...
  - ...feature vectors! Hooray!
  - You know the drill, what are our features?

- Annotated corpora provide ground truth with which to train supervised ML
- We can take Noun Phrases (NPs) from our corpus and represent them as...
  - ...feature vectors! Hooray!
  - You know the drill, what are our features?
    - Word embeddings plus...

# Typical Feature Set (Soon et. al, 2001)

- lexical
  - String Matching (e.g. *Mrs. Clinton* ⇔ *Clinton*)

# Typical Feature Set (Soon et. al, 2001)

#### lexical

• String Matching (e.g. *Mrs. Clinton* ⇔ *Clinton*)

#### grammatical/syntactic

- i-Pronoun, j-Pronoun Are the NPs pronouns
- Demonstrative, Definite... Are the NPs a demonstrative, or definite noun phrase
- Agreement number, gender, animacy
- appositive (The prime minister of Germany, Angela Merkel...)
- binding constraints
- span, maximal-np, ...

# Typical Feature Set (Soon et. al, 2001)

#### semantic

- Same semantic class (e.g. Person, Organization, Location, etc)
- Alias (e.g. 1-08-2018, Jan 8)

#### positional

distance between the NPs in terms of # of words/sentences

#### knowledge-based

Naïve pronoun resolution algorithm (Hobbs)

# Reference Resolution Algorithms

- Coreference Models with NNs:
  - (Clark and Manning, 2016)
    - Assign a score to each candidate antecedent
    - Each possible candidate also has possible "new referent" symbol
    - Also utilize word embeddings + avg embeddings
      - Plus 'manual' features as well
    - Non-RNN, essentially just local classification w/some distributional semantics

## Coreference Evaluation

## Coreference Annotated Corpora

#### Available Shared Task Corpora

- MUC-6, MUC-7 (Message Understanding Conference)
  - 60 documents each, newswire, English
- ACE (Automatic Content Extraction)
  - English, Chinese, Arabic
  - blogs, newswire, Usenet, broadcast

#### Treebanks

- OntoNotes English, Chinese (Trad/Simp), Arabic
  - Used in CoNLL 2012 shared task
- German, Czech, Japanese, Spanish, Catalalan, Medline

## Coreference Evaluation

- Which NPs are evaluated?
  - Gold standard tagged?
  - Automatically extracted?

## Coreference Evaluation

- Which NPs are evaluated?
  - Gold standard tagged?
  - Automatically extracted?
- How good are the coreference chains?
  - Any cluster-based evaluation could be used
  - MUC scorer (<u>Vilain et al, 1995</u>)
    - F1 for hypothesized vs gold co-reference links
    - Problem: Link-based ignores singletons; penalizes large clusters

# How do the muppets corefer?

#### D.5 Pairwise Relations (ELMo and OpenAI Transformer)

Pretrained Representation	Syntactic Dep. Arc Prediction		Syntactic Dep. Arc Classification		Semantic Dep. Arc Prediction	Semantic Dep. Arc Classification	Coreference Arc Prediction
	PTB	EWT	PTB	EWT	7 He I Tediction	THE Classification	7 He i rediction
ELMo (original), Layer 0	78.27	77.73	82.05	78.52	70.65	77.48	72.89
ELMo (original), Layer 1	89.04	86.46	96.13	93.01	87.71	93.31	71.33
ELMo (original), Layer 2	88.33	85.34	94.72	91.32	86.44	90.22	68.46
ELMo (original), Scalar Mix	89.30	86.56	95.81	91.69	87.79	93.13	73.24
ELMo (4-layer), Layer 0	78.09	77.57	82.13	77.99	69.96	77.22	73.57
ELMo (4-layer), Layer 1	88.79	86.31	96.20	93.20	87.15	93.27	72.93
ELMo (4-layer), Layer 2	87.33	84.75	95.38	91.87	85.29	90.57	71.78
ELMo (4-layer), Layer 3	86.74	84.17	95.06	91.55	84.44	90.04	70.11
ELMo (4-layer), Layer 4	87.61	85.09	94.14	90.68	85.81	89.45	68.36
ELMo (4-layer), Scalar Mix	88.98	85.94	95.82	91.77	87.39	93.25	73.88
ELMo (transformer), Layer 0	78.10	78.04	81.09	77.67	70.11	77.11	72.50
ELMo (transformer), Layer 1	88.24	85.48	93.62	89.18	85.16	90.66	72.47
ELMo (transformer), Layer 2	88.87	84.72	94.14	89.40	85.97	91.29	73.03
ELMo (transformer), Layer 3	89.01	84.62	94.07	89.17	86.83	90.35	72.62
ELMo (transformer), Layer 4	88.55	85.62	94.14	89.00	86.00	89.04	71.80
ELMo (transformer), Layer 5	88.09	83.23	92.70	88.84	85.79	89.66	71.62
ELMo (transformer), Layer 6	87.22	83.28	92.55	87.13	84.71	87.21	66.35
ELMo (transformer), Scalar Mix	90.74	86.39	96.40	91.06	89.18	94.35	75.52
OpenAI transformer, Layer 0	80.80	79.10	83.35	80.32	76.39	80.50	72.58
OpenAI transformer, Layer 1	81.91	79.99	88.22	84.51	77.70	83.88	75.23
OpenAI transformer, Layer 2	82.56	80.22	89.34	85.99	78.47	85.85	75.77
OpenAI transformer, Layer 3	82.87	81.21	90.89	87.67	78.91	87.76	75.81
OpenAI transformer, Layer 4	83.69	82.07	92.21	89.24	80.51	89.59	75.99
OpenAI transformer, Layer 5	84.53	82.77	93.12	90.34	81.95	90.25	76.05
OpenAI transformer, Layer 6	85.47	83.89	93.71	90.63	83.88	90.99	74.43
OpenAI transformer, Layer 7	86.32	84.15	93.95	90.82	85.15	91.18	74.05
OpenAI transformer, Layer 8	86.84	84.06	94.16	91.02	85.23	90.86	74.20
OpenAI transformer, Layer 9	87.00	84.47	93.95	90.77	85.95	90.85	74.57
OpenAI transformer, Layer 10	86.76	84.28	93.40	90.26	85.17	89.94	73.86
OpenAI transformer, Layer 11	85.84	83.42	92.82	89.07	83.39	88.46	72.03
OpenAI transformer, Layer 12	85.06	83.02	92.37	89.08	81.88	87.47	70.44
OpenAI transformer, Scalar Mix	87.18	85.30	94.51	91.55	86.13	91.55	76.47
GloVe (840B.300d)	74.14	73.94	77.54	72.74	68.94	71.84	72.96

No significant improvement over global embedding baseline [BERT slightly better]

Table 9: Pairwise relation task performance of a linear probing model trained on top of the ELMo and OpenAI contextualizers, compared against a GloVe-based probing baseline.



• The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?
  - Answers: Susan/Joan.

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?
  - Answers: Susan/Joan.
- Paul tried to call George on the phone, but he wasn't [successful/available]. Who was not [successful/available]?


- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?
  - Answers: Susan/Joan.
- Paul tried to call George on the phone, but he wasn't [successful/available]. Who was not [successful/available]?
  - Answers: Paul/George.

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?
  - Answers: Susan/Joan.
- Paul tried to call George on the phone, but he wasn't [successful/available]. Who was not [successful/available]?
  - Answers: Paul/George.
- The lawyer asked the witness a question, but he was reluctant to [answer/repeat] it. Who was reluctant to [answer/repeat] the question?

- The trophy doesn't fit into the brown suitcase because it's too [small/large]. What is too [small/large]?
  - Answers: The suitcase/the trophy.
- Joan made sure to thank Susan for all the help she had [given/received]. Who had [given/received] help?
  - Answers: Susan/Joan.
- Paul tried to call George on the phone, but he wasn't [successful/available]. Who was not [successful/available]?
  - Answers: Paul/George.
- The lawyer asked the witness a question, but he was reluctant to [answer/repeat] it. Who was reluctant to [answer/repeat] the question?
  - Answers: The witness/the lawyer.

# Winograd Schema Challenge


- Still hard!
  - WSC
  - WinoGrande



# Winograd Schema Challenge

- Still hard!
  - WSC
  - WinoGrande

Heavily supervised



29

• Decent results on (clean) text. What about...

- Decent results on (clean) text. What about...
- Conversational speech?
  - Fragments, disfluencies, etc...

- Decent results on (clean) text. What about...
- Conversational speech?
  - Fragments, disfluencies, etc...
- Dialogue?
  - Multiple speakers introduce referents

- Decent results on (clean) text. What about...
- Conversational speech?
  - Fragments, disfluencies, etc...
- Dialogue?
  - Multiple speakers introduce referents
- Multimodal communication?
  - How can entities be evoked in other ways?
  - Are all equally salient?

- Other languages?
  - Are salience hierarchies the same?
  - Syntactic constraints?
    - Reflexives in Chinese, Korean...?
- Zero anaphora?
  - How do you resolve a pronoun if you can't find it?
  - e.g. "There are two roads to eternity, a straight and narrow, and a broad and crooked."
    - Each indefinite here implies a gap [road], that would be anaphoric, but leaves a gap

## Conclusions

- Coreference establishes coherence
- Reference resolution depends on coherence
- Variety of approaches:
  - Syntactic constraints, recency, frequency, role
- Similar effectiveness different requirements
- Coreference can enable summarization within and across documents (and potentially languages!)

## Discourse Structure

## Why Model Discourse Structure?

#### **Theoretical Concerns**

- Discourse: not just constituent utterances
- Creation of joint meaning
- Context guides interpretation of constituents

## Why Model Discourse Structure?

#### **Theoretical Concerns**

- Understanding how discourse is structured:
  - What are the units of discourse?
  - How do they combine to establish meaning?
  - How can we derive structure from surface forms?
  - What makes discourse coherent vs. incoherent?
  - How do the units of discourse influence reference resolution?

## Why Model Discourse Structure?

#### Applied Concerns

- Design better summarization, understanding systems
- Improve speech synthesis (discourse-contextual intonation, emphasis)
- Develop approach for generation of discourse
- Design dialogue agents for task interaction
- Guide reference resolution

## Discourse (Topic) Segmentation

- BBC Global News Podcast 11/26/2018:
- "I'm Valerie Saunderson, and in the early hours of Monday, the 26th of November, these are our main stories. Il After forty-five years, both parties call it a day as Britain's Brexit agreement is signed off by EU leaders. So, what happens next? We hear from our correspondents in Brussels and London. II There's been a sharp escalation in a Naval dispute near Crimea, with Ukraine accusing Russian special forces of seizing three of its vessels II An investigation discovers many medical implants haven't been properly tested before they're put in patients. Il Also in this podcast, NASA prepares for "seven minutes of terror," the latest landing on the Red planet [Voice #2:] Although we've done it before, landing on Mars is hard, and this mission is no different. II [Voice #1:] A year and a half after the start of Brexit Negotiations..."

## Discourse (Topic) Segmentation

- BBC Global News Podcast 11/26/2018:
- "I'm Valerie Saunderson, and in the early hours of Monday, the 26th of November, these are our main stories. Il After forty-five years, both parties call it a day as Britain's Brexit agreement is signed off by EU leaders. So, what happens next? We hear from our correspondents in Brussels and London. II There's been a sharp escalation in a Naval dispute near Crimea, with Ukraine accusing Russian special forces of seizing three of its vessels II An investigation discovers many medical implants haven't been properly tested before they're put in patients. Il Also in this podcast, NASA prepares for "seven minutes of terror," the latest landing on the Red planet [Voice #2:] Although we've done it before, landing on Mars is hard, and this mission is no different. II [Voice #1:] A year and a half after the start of Brexit Negotiations..."

## Discourse Segmentation

- Basic form of discourse structure
  - Divide document into linear sequence of subtopics
- Many genres have conventional structures
  - Academic: Intro, Hypothesis, Previous Work, Methods, Results, Conclusion
  - Newspapers: Headline, Byline, Lede, Elaboration
  - Patient Reports: Subjective, Objective, Assessment, Plan
- Can guide summarization, retrieval

### Cohesion

- Use of linguistic devices to link text units
  - Lexical cohesion: Link with relations between words
    - Synonymy, Hypernymy
    - Peel, core, and slice the pears and apples. Add the fruit to the skillet.
  - Nonlexical Cohesion
    - e.g. anaphora
    - Peel, core, and slice the pears and apples. Add them to the skillet.

### Cohesion

- Use of linguistic devices to link text units
  - Lexical cohesion: Link with relations between words
    - Synonymy, Hypernymy
    - Peel, core, and slice the pears and apples. Add the fruit to the skillet.
  - Nonlexical Cohesion
    - e.g. anaphora
    - Peel, core, and slice the pears and apples. Add them to the skillet.
- Cohesion chain establish link through sequence of words

### Cohesion

- Use of linguistic devices to link text units
  - Lexical cohesion: Link with relations between words
    - Synonymy, Hypernymy
    - Peel, core, and slice the pears and apples. Add the fruit to the skillet.
  - Nonlexical Cohesion
    - e.g. anaphora
    - Peel, core, and slice the pears and apples. Add them to the skillet.
- Cohesion chain establish link through sequence of words
- Segment boundary = dip in cohesion.

## TextTiling (Hearst, 1997)

- Lexical, cohesion-based segmentation
  - Boundaries at dips in cohesion scores
  - Tokenization, Lexical cohesion score, Boundary ID
- Tokenization
  - Units?
    - Whitespace delimited words
    - Stopped
    - Stemmed
    - 20 words = 1 pseudo-sentence

### Lexical Cohesion Score


- Similarity between spans of text
  - b = 'Block' of 10 pseudo-sentences before gap
  - a = 'Block' of 10 pseudo-sentences after gap
  - How do we compute similarity?
    - Vectors and cosine similarity (again!)


$$sim_{cosine}(\vec{b}, \vec{a}) = \frac{\vec{b} \cdot \vec{a}}{|\vec{b}||\vec{a}|} = \frac{\sum_{i=1}^{N} b_i \times a_i}{\sqrt{\sum_{i=1}^{N} b_i^2} \sqrt{\sum_{i=1}^{N} a_i^2}}$$

## Segmentation

- Depth Score:
  - Difference between position and adjacent peaks  $(y_{a_1} y_{a_2}) + (y_{a_3} y_{a_2})$

$$(y_{a_1} - y_{a_2}) + (y_{a_3} - y_{a_2})$$





## Embedding-Based Cohesion

- Aggregation:
  - Sentence similarity
    - Sentence vector: sum of word embedding vectors
- Pairwise sentence cohesion:  $\cos\left(\sum_{w \in s} w, \sum_{w \in t} w\right)$
- Document cohesion: average pairwise cohesion

coherence(T) = 
$$\frac{1}{n-1} \sum_{i=1}^{n-1} \cos(s_i, s_{i+1})$$

- Baseline (Xu et al, 2019)
  - Train RNN LM
    - Compute log likelihood of s<sub>i</sub> with and without preceding context

### Local Coherence Discriminator

- LCD (Xu et al, 2019)
  - Coherence of text = average coherence b/t adj pairs
  - Supervised model
    - Trained to distinguish b/t:
      - Adjacent pairs of sentences in training data (pos examples)
      - Randomly associated sentence pairs (assumed negative)
- Approach:
  - Compute sentence embeddings for s, t
  - Concatenate: each vector, diff (s-t); abs diff ls-tl; elementwise product
  - Train FFN s.t. positive examples score higher than neg

#### LCD




Figure 23.11 The architecture of the LCD model of document coherence, showing the computation of the score for a pair of sentences s and t. Figure from Xu et al. (2019).

#### Coherence Relations & Discourse Structure

- Why is this odd?
  - No obvious relation between sentences
    - Readers often try to construct relations

- Why is this odd?
  - No obvious relation between sentences
    - Readers often try to construct relations
- How are the first two related?
  - Explanation/cause

- Why is this odd?
  - No obvious relation between sentences
    - Readers often try to construct relations
- How are the first two related?
  - Explanation/cause
- Utterances should have meaningful connection
  - Establish through coherence relations

- **Result**: Infer that the state or event asserted by  $S_0$  causes, or could cause the state asserted by  $S_1$ .
  - The Tin Woodman was caught in the rain. His joints rusted.

- **Result**: Infer that the state or event asserted by  $S_0$  causes, or could cause the state asserted by  $S_1$ .
  - The Tin Woodman was caught in the rain. His joints rusted.
- **Explanation:** Infer that the state or event asserted by  $S_1$  causes or could cause the state or event asserted by  $S_0$ .
  - John hid Bill's car keys. He was drunk.

- **Result**: Infer that the state or event asserted by  $S_0$  causes, or could cause the state asserted by  $S_1$ .
  - The Tin Woodman was caught in the rain. His joints rusted.
- **Explanation:** Infer that the state or event asserted by  $S_1$  causes or could cause the state or event asserted by  $S_0$ .
  - John hid Bill's car keys. He was drunk.
- Parallel: Infer  $p(a_1, a_2,...)$  from the assertion of  $S_0$  and  $p(b_1, b_2,...)$  from the assertion of  $S_1$ , where  $a_i$  and  $b_i$  are similar, for all i.
  - The Scarecrow wanted some brains. The Tin Woodman wanted a heart.

- **Elaboration**: Infer the same proposition P from the assertions of  $S_0$  and  $S_1$ .
  - Dorothy was from Kansas. She lived in the midst of the great Kansas prairies.


- **Elaboration**: Infer the same proposition P from the assertions of  $S_0$  and  $S_1$ .
  - Dorothy was from Kansas. She lived in the midst of the great Kansas prairies.
- Occasion: A change of state can be inferred from the assertion of  $S_0$  whose final state can be inferred from  $S_1$ , or a change of state can be inferred from the assertion of  $S_1$ .
  - Dorothy picked up the oil-can. She oiled the Tin Woodman's joints.

- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.


- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.
- This discourse isn't linear

- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.
- This discourse isn't linear
- Primarily about S1, S2
  - S3-S5 relate to different parts of S1, S2

- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.



- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.




S1 – Armin went to the bank to deposit his paycheck

S2 – He then took a train to Kim's car dealership.

S3 – He needed to buy a car.

S4 – The company he works for now isn't near any public transportation.

S5 – He also wanted to talk to Kim about their softball league.




S1 – Armin went to the bank to deposit his paycheck

S2 – He then took a train to Kim's car dealership.


S3 – He needed to buy a car.

S4 – The company he works for now isn't near any public transportation.

S5 – He also wanted to talk to Kim about their softball league.



- S1 Armin went to the bank to deposit his paycheck
- S2 He then took a train to Kim's car dealership.
- S3 He needed to buy a car.
- S4 The company he works for now isn't near any public transportation.
- S5 He also wanted to talk to Kim about their softball league.



# Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al, 2008)

"Theory-neutral" discourse model

# Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al, 2008)

- "Theory-neutral" discourse model
- No stipulation of overall structure, local sequence relations

# Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al. 2008)

- "Theory-neutral" discourse model
- No stipulation of overall structure, local sequence relations
- U.S. Trust, a 136-year-old institution that is one of the earliest high-net worth banks in the U.S., has faced intensifying competition from other firms that have established, and heavily promoted, private-banking businesses of their own. As a result, U.S. Trust's earnings have been hurt.

# Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al. 2008)

- "Theory-neutral" discourse model
- No stipulation of overall structure, local sequence relations
- U.S. Trust, a 136-year-old institution that is one of the earliest high-net worth banks in the U.S., has faced intensifying competition from other firms that have established, and heavily promoted, private-banking businesses of their own. As a result, U.S. Trust's earnings have been hurt.
- PDTB annotation links S<sub>1</sub> to S<sub>2</sub> by way of connective
  - Provides sense label

## Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al, 2008)

- Discourse units (sentential, or sub-sentential) marked in pairs:
  - Arg<sub>1</sub>, Arg<sub>2</sub>

## Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al. 2008)

- Discourse units (sentential, or sub-sentential) marked in pairs:
  - Arg<sub>1</sub>, Arg<sub>2</sub>
- Explicit Relations:
  - triggered by lexical markers ('but', 'as a result') between spans
  - Arg<sub>2</sub> syntactically bound to connective unit, Arg<sub>1</sub>

## Coherence Relations: The Penn Discourse Treebank (PDTB) (Prasad et al, 2008)

- Discourse units (sentential, or sub-sentential) marked in pairs:
  - Arg<sub>1</sub>, Arg<sub>2</sub>

#### • Explicit Relations:

- triggered by lexical markers ('but', 'as a result') between spans
- Arg<sub>2</sub> syntactically bound to connective unit, Arg<sub>1</sub>

#### • Implicit Relations:

- Adjacent sentences assumed related
- Arg<sub>1</sub>: first sentence (can be anywhere in discourse)
- Arg2: second sentence, in linear sequence
- Annotators provide implicit discourse unit, label

#### PDTB

Class	Туре	Example
TEMPORAL	SYNCHRONOUS	The parishioners of St. Michael and All Angels stop to chat at
		the church door, as members here always have. (Implicit while)
		In the tower, five men and women pull rhythmically on ropes
		attached to the same five bells that first sounded here in 1614.
CONTINGENCY	REASON	Also unlike Mr. Ruder, Mr. Breeden appears to be in a position
		to get somewhere with his agenda. (implicit=because) As a for-
		mer White House aide who worked closely with Congress,
		he is savvy in the ways of Washington.
COMPARISON	CONTRAST	The U.S. wants the removal of what it perceives as barriers to
		investment; Japan denies there are real barriers.
EXPANSION	CONJUNCTION	Not only do the actors stand outside their characters and make
		it clear they are at odds with them, but they often literally stand
		on their heads.

Figure 23.2 The four high-level semantic distinctions in the PDTB sense hierarchy

- PDTB corpus: 18K explicit relations; 16K implicit
- Also Chinese Discourse Treebank,
- ~ half as many explicit discourse connectives

#### Shallow Discourse Parsing

- For extended discourse
- ...for each clause/sentence pair in sequence
- ...identify discourse relation, Arg<sub>1</sub>, Arg<sub>2</sub>
- CoNLL15 Shared task Results:
  - 61% overall (55% blind)
    - Explicit discourse connectives: 91% (76% blind)
    - Non-explicit discourse connectives: 34% (36% blind)

#### Basic Methodology

- Pipeline:
  - 1. Identify discourse connectives
  - 2. Extract arguments for connectives (Arg<sub>1</sub>, Arg<sub>2</sub>)
  - 3. Determine presence/absence of relation in context
  - 4. Predict sense of discourse relation

### Basic Methodology

- Pipeline:
  - 1. Identify discourse connectives
  - 2. Extract arguments for connectives (Arg<sub>1</sub>, Arg<sub>2</sub>)
  - 3. Determine presence/absence of relation in context
  - 4. Predict sense of discourse relation
- Resources: Brown clusters, lexicons, parses

### Basic Methodology

- Pipeline:
  - 1. Identify discourse connectives
  - 2. Extract arguments for connectives (Arg<sub>1</sub>, Arg<sub>2</sub>)
  - 3. Determine presence/absence of relation in context
  - 4. Predict sense of discourse relation
- Resources: Brown clusters, lexicons, parses
- Approaches:
  - 1,2: Sequence labeling techniques
  - 3,4: Classification (4: multiclass)
    - Some rule-based or most common class

#### Relation Classification

- Basic task:
  - Given pair of adjacent sentences, give coherence relation sense label
- Approaches:
  - Employ BoW or sentence embeddings of sentence pairs
  - Pass through some classifier
- Strong approach: (Nie et al, 2019)
  - Represent spans with BERT contextual embeddings
  - Take last layer hidden state for position of <CLS> token
  - Run through 1-layer FFN + softmax for classification
- Other steps use sequence models, heuristics

## Identifying Relations

- Key source of information:
  - Cue phrases
    - aka: discourse markers, cue words, clue words
    - although, but, for example, however, yet, with, and...
      - John hid Bill's keys because he was drunk

#### Identifying Relations: Issues

- Ambiguity: discourse vs. sentential use
  - With its distant orbit, Mars exhibits frigid weather.
  - We can see Mars with a telescope.

#### Identifying Relations: Issues

- Ambiguity: discourse vs. sentential use
  - With its distant orbit, Mars exhibits frigid weather.
  - We can see Mars with a telescope.
- Ambiguity: cue multiple discourse relations
  - Because: CAUSE, or EVIDENCE
  - But: CONTRAST, or CONCESSION

#### Identifying Relations: Issues

- Ambiguity: discourse vs. sentential use
  - With its distant orbit, Mars exhibits frigid weather.
  - We can see Mars with a telescope.
- Ambiguity: cue multiple discourse relations
  - Because: CAUSE, or EVIDENCE
  - But: CONTRAST, or CONCESSION
- Sparsity:
  - Only 15-25% of relations marked by cues

# Entity-Based Coherence and Centering Theory

#### Entity-Based Coherence

John went to his favorite music store to buy a piano. He had frequented the store for many years. He was excited that he could finally buy a piano.

#### Versus:

John went to his favorite music store to buy a piano. It was a store John had frequented for many years. He was excited that he could finally buy a piano. It was closing just as John arrived.

Which is better? Why?

#### Entity-Based Coherence

John went to his favorite music store to buy a piano. He had frequented the store for many years. He was excited that he could finally buy a piano.

#### Versus:

John went to his favorite music store to buy a piano. It was a store John had frequented for many years. He was excited that he could finally buy a piano. It was closing just as John arrived.

- Which is better? Why?
  - First focuses on a single entity

#### Entity-Based Coherence

John went to his favorite music store to buy a piano. He had frequented the store for many years. He was excited that he could finally buy a piano.

#### Versus:

John went to his favorite music store to buy a piano. It was a store John had frequented for many years. He was excited that he could finally buy a piano. It was closing just as John arrived.

- Which is better? Why?
  - First focuses on a single entity
  - Second interleaves entities John and the music store

### Centering Theory

- Entity-based coherence is inspiration for Centering theory (Grosz et al., 1995)
  - Explicitly encodes a discourse model
  - Different entities are uniquely "centered" at different points in discourse

### Centering Theory Details

- Two adjacent utterances:
  - ullet  $U_n$
  - ullet  $U_{n+1}$
- Two ideas of "centers"
  - ullet backward-looking center  $C_b(oldsymbol{U}_n)$
  - ullet forward-looking centers  $C_f(U_n)$

### Centering Theory Details

- ullet backward-looking center  $C_b(U_n)$ 
  - ullet The entity that is currently being focused ("centered") after  $U_n$  is interpreted

- ullet forward-looking centers  $C_f(U_n)$ 
  - ullet A list of all entities mentioned in  $U_n$  which could be focused in subsequent utterances
  - Order with precedence list:
    - subject > existential predicate nominal > object > indirect object or oblique > demarcated adverbial PP
- ullet  $C_p$  shorthand for highest-ranked forward-looking candidate

- ullet John saw a beautiful 1961 Ford Falcon at the used car dealership. (  $U_1$ )
- ullet He showed it to Bob.  $(U_2)$
- ullet He bought it.  $(oldsymbol{U_3})$

- ullet John saw a beautiful 1961 Ford Falcon at the used car dealership. (  $oldsymbol{U}_1$ )
- ullet He showed it to Bob.  $(U_2)$
- ullet He bought it.  $(U_3)$

```
After U_1
C_f(U_1): {John, Ford, dealership}
C_p(U_1): John
C_b(U_1): undefined
```

- ullet John saw a beautiful 1961 Ford Falcon at the used car dealership. (  $oldsymbol{U}_1$ )
- ullet He showed it to Bob.  $(U_2)$
- ullet He bought it.  $(U_3)$

```
Processing U2
```

```
C_f(U_1): {John, Ford, dealership} C_p(U_1): John C_p(U_1): undefined
```

he=John, it=Ford

- ullet John saw a beautiful 1961 Ford Falcon at the used car dealership. (  $oldsymbol{U}_1$ )
- ullet He showed it to Bob.  $(U_2)$
- ullet He bought it.  $(U_3)$

```
After U_2
C_f(U_2): {John, Ford, Bob}
C_p(U_2): John
C_b(U_2): John
```

## Computational Discourse: Summary

#### Cohesion

Modeled with linking lexical terms and thematic overlap

#### Coherence

- Determine relevance of discourse units to one another
- Can add structure to discourse to model relations and their importance

# Computational Discourse: Key Tasks

- Reference resolution
  - Constraints and preferences
  - Heuristic, learning and sieve models
- Discourse structure modeling
  - Linear topic segmentation
  - Shallow discourse parsing
  - Also see: Rhetorical Structure Theory (RST)