

# HW #2

LING 571

Deep Processing Techniques for NLP

# Goals

- Begin development of CKY parser
- First stage: Conversion to CNF
  - Develop Representation for CFG
  - Manipulate/Transform Grammars
  - Investigate weakly equivalent grammars

# Task

- Conversion:
  - Read in grammar rules from arbitrary CFG
  - Convert to CNF
  - Write out new grammar
- Validation:
  - Parse test sentences with original CFG
  - Parse test sentences with CFG in CNF

# Approach

- May use existing models/packages to represent rules
  - Need RULE, RHS, LHS, etc
  - NLTK, Stanford
- ***Conversion code must be your own***

# Data

- ATIS (Air Travel Information System) data
  - Grammar provided in nltk-data
  - Terminals in double-quotes
    - *the* → “the”
  - All required files on patas dropbox
- **NOTE:**
  - Grammar is fairly large (~193K Productions)
  - Grammar is fairly ambiguous (Test sentences may have 100 parses)
  - You will likely want to develop against a smaller grammar
  - You must submit a *condor* .cmd file
  - Also readme.{txt | pdf}

# NLTK Grammars

```
>>> gr1 = nltk.data.load('grammars/large_grammars/  
atis.cfg')
```

```
>>> gr1.productions()[0]  
ABBCL_NP -> QUANP_DTI QUANP_DTI QUANP_CD AJP_JJ NOUN_NP  
PRPRTCL_VBG
```

```
>>> gr1.productions()[0].lhs()  
ABBCL_NP
```

```
>>> gr1.productions(lhs=gr1.productions()[1].lhs())  
[ADJ_ABL -> only, ADJ_ABL->such]
```