

HW #9

Goals and Task

- Implementing Coherence Relation Sense Classification
 - Part of Shallow Discourse Parsing pipeline
- Goals:
 - Explore issues in shallow discourse parsing.
 - Gain familiarity with the Penn Discourse Treebank and CoNLL data.
 - Gain some further familiarity with vector-based word embeddings
 - Implement a relation sense classification system.

Components

- We provide:
 - Gold data in [CoNLL16 format](#)
 - Train and test split
 - 50-dimensional GloVe embeddings trained on Wikipedia and Gigaword
- You:
 - Read in the data
 - Build train/test classification vectors
 - For each of Arg1, Arg2: average word vectors together to build total vector
 - Train a classifier on train vectors, evaluate on test vectors

Data Example (One Line of JSON)

- Arg1:
 - RawText
 - ...
- Arg2:
 - RawText
 - ...
- Connective:
 - RawText
- **Sense**
- Type (Explicit or Implicit)
- ...

Training a Classifier

- You can use any pre-implemented classifier that you'd like
- [scikit-learn](#) offers many, e.g.:
 - SVM
 - Nearest neighbors
- Usual API:
 - Instantiate model
 - `model.fit(X, Y)`: train the model
 - `model.predict(X)`: make predictions on new inputs